PURITY SHOWER SCREEN CONFIGURATIONS

Fixed panel shower

FIXED PANEL

1. Adjustable angle support arm
2. Horizontal support arm
3. Vertical support arm

See page 41





PURITY SHOWER SCREEN CONFIGURATIONS

Inline shower enclosures

HINGE PANEL

10MM DOOR

See page 42

OR

FIXED PANEL

10MM DOOR ONLY

See page 43





PURITY SHOWER SCREEN CONFIGURATIONS

Corner shower enclosure

HINGE PANEL
10MM DOOR
RETURN PANEL
See page 44

OR

10MM DOOR
RETURN PANEL
See page 45





PURITY FIXED PANEL CONFIGURATION

Single panel showerscreens are growing in popularity as a simple and stylish solution for bathrooms.

Select from a large range of fixed panels as detailed below. To provide extra rigidity to panels, a stabilizer arm and/or glass shelf must be installed.

- 10mm thick clear toughened
- 1 mm radius corners
- Individually boxed panels
- Flat polished edges
- Corner protectors in packing



Overall width	Return panel
WIDTH	RETURN
800mm	797mm
850mm	847mm
873mm	870mm
900mm	897mm
950mm	947mm
1000mm	997mm
1050mm	1047mm
1100mm	1097mm
1150mm	1147mm
1200mm	1197mm
1300mm	1297mm
1400mm	1397mm

INLINE PANEL ONLY

SEE PAGE 47 FOR GLASS PANEL STOCK CODES

Wall bracket options

1. Purity wall bracket — Bianco, Nero, Oro or Pearl Satin
2. Purity offset wall bracket — Bianco, Nero, Oro or Pearl Satin
3. Purity round wall bracket — Bianco or Nero

See pages 22-24 for specifications

Important!

Add 8mm to overall width if installing the single panel with a U channel
U channel is ideal when installing on out of square walls
See page 33 for specifications

PURITY INLINE CONFIGURATIONS

Enclosed shower areas with a hinged door, for a secluded bathroom solution.

This guide outlines the sizes available when using our range of shower doors and hinge panels.



- 10mm thick clear toughened
- 1 mm radius corners
- Individually boxed panels
- Flat polished edges
- Corner protectors in packing

Wall bracket options

1. Purity wall bracket — Bianco, Nero, Oro or Pearl Satin
2. Purity offset wall bracket — Bianco, Nero, Oro or Pearl Satin
3. Purity round wall bracket — Bianco or Nero

See pages 22-24 for specifications

Important!

Add 8mm to overall width if installing the hinge panel with a U channel
U channel is ideal when installing on out of square walls
See page 33 for specifications

Overall width WIDTH	Hinge panel HINGE	Door panel DOOR
840mm	229mm	600mm
850mm	229mm	610mm
860mm	229mm	620mm
870mm	229mm	630mm
880mm	229mm	640mm
890mm	279mm	600mm
900mm	279mm	610mm
910mm	279mm	620mm
920mm	279mm	630mm
930mm	279mm	640mm
940mm	329mm	600mm
950mm	329mm	610mm
960mm	329mm	620mm
970mm	329mm	630mm
980mm	329mm	640mm
990mm	379mm	600mm
1000mm	379mm	610mm
1010mm	379mm	620mm
1020mm	379mm	630mm
1030mm	379mm	640mm
1040mm	429mm	600mm
1050mm	429mm	610mm
1060mm	429mm	620mm
1070mm	429mm	630mm
1080mm	429mm	640mm
1090mm	479mm	600mm
1100mm	479mm	610mm
1110mm	479mm	620mm
1120mm	479mm	630mm
1130mm	479mm	640mm
1140mm	529mm	600mm
1150mm	529mm	610mm
1160mm	529mm	620mm
1170mm	529mm	630mm
1180mm	529mm	640mm
1190mm	579mm	600mm
1200mm	579mm	610mm
1210mm	579mm	620mm
1220mm	579mm	630mm
1230mm	579mm	640mm

HINGE PANEL & DOOR

SEE PAGES 46-47 FOR GLASS PANEL STOCK CODES

PURITY INLINE CONFIGURATIONS

A fixed panel with a hinged door is ideal for wider inline shower openings.

This guide outlines the sizes available when using our range of fixed panels and shower doors.





*Use a suitable stability brace for fixed panel

- 10mm thick clear toughened
- 1 mm radius corners
- Individually boxed panels
- Flat polished edges
- Corner protectors in packing

Wall bracket options

1. Purity wall bracket — Bianco, Nero, Oro or Pearl Satin
2. Purity offset wall bracket — Bianco, Nero, Oro or Pearl Satin
3. Purity round wall bracket — Bianco or Nero

See pages 22-24 for specifications

Important!

Add 8mm to overall width if installing the fixed panel with a U channel
U channel is ideal when installing on out of square walls
See page 33 for specifications

Overall width WIDTH	Fixed panel FIXED	Door panel DOOR
1412mm	797mm	600mm
1422mm	797mm	610mm
1432mm	797mm	620mm
1442mm	797mm	630mm
1452mm	797mm	640mm
1462mm	847mm	600mm
1472mm	847mm	610mm
1482mm	847mm	620mm
1492mm	847mm	630mm
1502mm	847mm	640mm
1512mm	897mm	600mm
1522mm	897mm	610mm
1532mm	897mm	620mm
1542mm	897mm	630mm
1552mm	897mm	640mm
1562mm	947mm	600mm
1572mm	947mm	610mm
1582mm	947mm	620mm
1592mm	947mm	630mm
1602mm	947mm	640mm
1612mm	997mm	600mm
1622mm	997mm	610mm
1632mm	997mm	620mm
1642mm	997mm	630mm
1652mm	997mm	640mm
1662mm	1047mm	600mm
1672mm	1047mm	610mm
1682mm	1047mm	620mm
1692mm	1047mm	630mm
1702mm	1047mm	640mm
1712mm	1097mm	600mm
1722mm	1097mm	610mm
1732mm	1097mm	620mm
1742mm	1097mm	630mm
1752mm	1097mm	640mm
1762mm	1147mm	600mm
1772mm	1147mm	610mm
1782mm	1147mm	620mm
1792mm	1147mm	630mm
1802mm	1147mm	640mm
1812mm	1197mm	600mm
1822mm	1197mm	610mm
1832mm	1197mm	620mm
1842mm	1197mm	630mm
1852mm	1197mm	640mm
1912mm	1297mm	600mm
1922mm	1297mm	610mm
1932mm	1297mm	620mm
1942mm	1297mm	630mm
1952mm	1297mm	640mm
2012mm	1397mm	600mm
2022mm	1397mm	610mm
2032mm	1397mm	620mm
2042mm	1397mm	630mm
2052mm	1397mm	640mm

SEE PAGES 46-47 FOR GLASS PANEL STOCK CODES

PURITY CORNER CONFIGURATIONS

The classic corner shower offers over 100 possible size configurations with our hinge panels, door panels and return panels.

This guide outlines the sizes achievable with our range of shower doors, hinge panels and return panels.





*Overall inline width is measured from wall to outer edge of glass return panel

- 10mm thick clear toughened
- 1 mm radius corners
- Individually boxed panels
- Flat polished edges
- Corner protectors in packing

Overall inline width	Hinge panel	Door panel
WIDTH	HINGE	DOOR
850mm	229mm	600mm
860mm	229mm	610mm
870mm	229mm	620mm
880mm	229mm	630mm
890mm	229mm	640mm
900mm	279mm	600mm
910mm	279mm	610mm
920mm	279mm	620mm
930mm	279mm	630mm
940mm	279mm	640mm
950mm	329mm	600mm
960mm	329mm	610mm
970mm	329mm	620mm
980mm	329mm	630mm
990mm	329mm	640mm
1000mm	379mm	600mm
1010mm	379mm	610mm
1020mm	379mm	620mm
1030mm	379mm	630mm
1040mm	379mm	640mm
1050mm	429mm	600mm
1060mm	429mm	610mm
1070mm	429mm	620mm
1080mm	429mm	630mm
1090mm	429mm	640mm
1100mm	479mm	600mm
1110mm	479mm	610mm
1120mm	479mm	620mm
1130mm	479mm	630mm
1140mm	479mm	640mm
1150mm	529mm	600mm
1160mm	529mm	610mm
1170mm	529mm	620mm
1180mm	529mm	630mm
1190mm	529mm	640mm
1200mm	579mm	600mm
1210mm	579mm	610mm
1220mm	579mm	620mm
1230mm	579mm	630mm
1240mm	579mm	640mm

SEE PAGES 46-47 FOR GLASS PANEL STOCK CODES

Overall return width	Return panel
WIDTH	RETURN
800mm	797mm
850mm	847mm
873mm	870mm
900mm	897mm
950mm	947mm
1000mm	997mm
1050mm	1047mm
1100mm	1097mm
1150mm	1147mm
1200mm	1197mm
1300mm	1297mm
1400mm	1397mm

Wall bracket options

1 Purity wall bracket
Bianco, Nero, Oro or Pearl Satin

2 Purity offset wall bracket
Bianco, Nero, Oro or Pearl Satin

3 Purity round wall bracket
Bianco or Nero

See pages 22-24 for specifications

Important!

Add 8mm to overall widths if installing with a U channel. Applies to overall inline with and/or overall return width dependent if U channel is used
U channel is ideal when installing on out of square walls
See page 33 for specifications

PURITY CORNER CONFIGURATIONS

This corner configuration includes a door hinged from a wall with a return panel.

This guide outlines the sizes achievable with our range of shower doors and return panels.

*Overall inline width is measured from wall to outer edge of glass return panel

- 10mm thick clear toughened
- 1 mm radius corners
- Individually boxed panels
- Flat polished edges
- Corner protectors in packing

Overall inline width	Door panel
WIDTH	DOOR
622mm	600mm
632mm	610mm
642mm	620mm
652mm	630mm
662mm	640mm

Overall return width	Return panel
WIDTH	RETURN
800mm	797mm
850mm	847mm
873mm	870mm
900mm	897mm
950mm	947mm
1000mm	997mm
1050mm	1047mm
1100mm	1097mm
1150mm	1147mm
1200mm	1197mm
1300mm	1297mm
1400mm	1397mm

DOOR & RETURN PANEL

SEE PAGES 46-47 FOR GLASS PANEL STOCK CODES

Wall bracket options

1 Purity wall bracket
Bianco, Nero, Oro or Pearl Satin

2 Purity offset wall bracket
Bianco, Nero, Oro or Pearl Satin

3 Purity round wall bracket
Bianco or Nero

See pages 22-24 for specifications

Important!

Add 8mm to overall return width if installing return panel with a U channel
U channel is ideal when installing on out of square walls
See page 33 for specifications